

C 7 C
Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

EXAMINER: Elizabeth Bolden
ART UNIT: 1755
PATENT NO.: 6,846,760 B2
ISSUE DATE: January 25, 2005
SERIAL NO.: 09/829,409
FILING DATE: April 9, 2001
INVENTORS: Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard
LAUTENSCHLÄGER, and Dr. Otmar BECKER
TITLE: FLAT FLOAT GLASS

Certificate
MAR 15 2005
of Correction

Greensburg, Pennsylvania 15601

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

March 3, 2005

ATTENTION: CERTIFICATE OF CORRECTIONS BRANCH

TRANSMITTAL LETTER

Sir:

Please find enclosed herewith the following documents relating to the above-cited case:

- 1) a Request for Certificate of Correction of U.S. Patent and Trademark Office Mistakes Under 37 C.F.R. §1.322, having seven pages;
- 2) four completed Form PTO-1050's, Certificates of Correction; and
- 3) a stamped, self-addressed postcard, return of which is requested to acknowledge receipt of the enclosed documents.

MAR 17 2005


Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

TRANSMITTAL LETTER
Page 2

It is believed that no fee is required to file the enclosed documents.


I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on March 3, 2005.

Respectfully submitted,



Nils H. Ljungman, Esq.
Attorney for Applicant[s]
Reg. No. 25,997
Name of person signing certification
Nils H. Ljungman & Associates
P.O. Box 130
Greensburg, PA 15601-0130
Telephone: (724) 836-2305
Facsimile: (724) 836-2313

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on March 3, 2005.


Signature

Vivian W. Toohey
Name of person mailing paper or fee
March 3, 2005
Date



Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

EXAMINER: Elizabeth Bolden
ART UNIT: 1755
PATENT NO.: 6,846,760 B2
ISSUE DATE: January 25, 2005
SERIAL NO.: 09/829,409
FILING DATE: April 9, 2001
INVENTORS: Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard
LAUTENSCHLÄGER, and Dr. Otmar BECKER
TITLE: FLAT FLOAT GLASS

Greensburg, Pennsylvania 15601

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

March 3, 2005

ATTENTION: CERTIFICATE OF CORRECTIONS BRANCH

REQUEST FOR CERTIFICATE OF CORRECTION OF U.S. PATENT
AND
TRADEMARK OFFICE MISTAKES UNDER 37 C.F.R. §1.322

Sir:

It appears that when the above-cited case was printed as a patent by the U.S. Patent and Trademark Office printer, numerous typographical errors occurred in the printing.

Specifically, in column 12, line 37, after 'percent,' delete "Z" and insert -- Σ --. Evidence supporting this correction can be found in the application which was filed with the U.S. Patent and Trademark Office

Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

on April 9, 2001, page 22, line 18.

Also, in column 12, line 65, delete " $\text{ZnO}+\text{TiO}_2<4.3$." and insert $--\text{ZnO}+\text{TiO}_2\leq 4.3--$. Evidence supporting this correction can be found in the application which was filed with the U.S. Patent and Trademark Office on April 9, 2001, page 23, line 8.

Further, in column 14, line 2, after 'Gerhard' , delete "IAUTENSCHLÄGER," and insert $--\text{LAUTENSCHLÄGER},--$. Evidence supporting this correction can be found in the application which was filed with the U.S. Patent and Trademark Office on April 9, 2001, page 25, line 9.

In addition, in column 14, line 57, after 'Peter', delete "NAsS," and insert $--\text{NASS},--$. Evidence supporting this correction can be found in the Amendment which was filed with the U.S. Patent and Trademark Office on July 14, 2003, page 2, line 5 of Amendment to page 26, line 24 to page 27, line 21.

In column 18, line 61, after 'to', delete "Gunthner" and insert $--\text{Günthner}--$. Evidence supporting this correction can be found in the application which was filed with the U.S. Patent and Trademark Office on April 9, 2001, page 34, line 20.

Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

Moreover, in column 21, line 8, after 'TiO₂' delete "<" and insert --<--. Evidence supporting this correction can be found in the application which was filed with the U.S. Patent and Trademark Office on April 9, 2001, page 38, line 28.

Also, in column 21, line 12, after 'TiO₂' delete "<" and insert --<--. Evidence supporting this correction can be found in the application which was filed with the U.S. Patent and Trademark Office on April 9, 2001, page 38, line 32.

Additionally, in column 25, line 61, Claim 2, after 'oxide;' being a new paragraph with --to--. Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 3, line 10, Claim 46.

Further, in column 27, line 61, Claim 6, after 'glass', delete "comprises" and insert --comprises:--. Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 8, line 5, Claim 50.

Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

In column 28, line 2, Claim 6, after '4', delete "millimeter," and insert "--millimeters,--". Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 8, line 12, Claim 50.

Also, in column 30, line 7, Claim 8, after 'cobalt', delete "(Go), and insert (Co),--". Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 14, line 18, Claim 52.

In addition, in column 30, line 26, Claim 8, after 'expansion', delete " $\approx 20/700$ " and insert "-- $\approx_{20/700}$ --". Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 15, line 15, Claim 52.

In column 31, line 37, Claim 10, after '(Cl);' begin a new paragraph with "(iii.)". Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 19, line 7,

Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

Claim 54.

Also, in column 35, line 14, Claim 14, after 'claim', delete "3," and insert --13,--. Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 30, line 12, Claim 58.

Further, in column 36, line 36, Claim 15, after 'being', delete "configure" and insert --configured--. Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 34, line 16, Claim 59.

Additionally, in column 39, line 60, Claim 18, after 'one' insert --of:--. Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004, page 44, line 15, Claim 62.

Finally, in column 42, line 50, Claim 20, after 'glass', delete "configure" and insert --configured--. Evidence supporting this correction can be found in the Amendment Under 37 C.F.R. §1.116 filed with the U.S. Patent and Trademark Office on August 13, 2004,

Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

page 53, line 18, Claim 64.

Since the mistakes noted herein have been made by the U.S. Patent and Trademark Office, it is believed that no fee is required to file this Request for Certificate of Correction. It is respectfully requested that a Certificate of Correction be issued in the above-cited case correcting these errors at an early date.

Please find enclosed herewith four completed Form PTO-1050's, Certificates of Correction, for U.S. Patent No. 6,846,760 B2, containing the requested corrections.

If mailed, I, the person signing this certification below, hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Box 1450, Alexandria, VA 22313-1450, on the date indicated in the certification of mailing on the transmittal letter sent herewith, or if facsimile transmitted, I, the person signing this certification below, hereby certify that this paper is being facsimile transmitted to the United States Patent and Trademark Office on the date indicated in the certification of facsimile transmission on the transmittal letter which is

Docket No.: NHL-FMW-02A US(SCT)
Patent No.: 6,846,760 B2
Customer No.: 00432

being facsimile transmitted herewith.

Respectfully submitted,

A handwritten signature in cursive script, reading "Nils H. Ljungman".

Nils H. Ljungman, Esq.
Attorney for Applicant[s]
Reg. No. 25,997
Name of person signing certification
Nils H. Ljungman & Associates
P.O. Box 130
Greensburg, PA 15601-0130
Telephone: (724) 836-2305
Facsimile: (724) 836-2313

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

Page 1 of 4

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,846,760 B2

DATED : January 25, 2005

INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 12, line 37, after 'percent,' delete "Z" and insert $--\sum--$.

In column 12, line 65, delete "ZnO+TiO₂<4.3." and insert $--\text{ZnO}+\text{TiO}_2\leq 4.3.--$.

In column 14, line 2, after 'Gerhard' , delete "LAUTENSCHLÄGER," and insert $--\text{LAUTENSCHLÄGER},--$.

In column 14, line 57, after 'Peter', delete "NASS," and insert $--\text{NASS},--$.

In column 18, line 61, after 'to', delete "Gunthner" and insert $--\text{Günthner}--$.

6,846,760 B2

MAILING ADDRESS OF SENDER:

PATENT NO.

NILS H. LJUNGMAN & ASSOCIATES
P.O. BOX 130
GREENSBURG, PA 15601-0130

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

MAR 17 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

Page 2 of 4

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,846,760 B2

DATED : January 25, 2005

INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard
LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

In column 21, line 8, after 'TiO₂' delete "<"
and insert --≤--.

In column 21, line 12, after 'TiO₂' delete
"<" and insert --≤--.

In column 25, line 61, Claim 2, after
'oxide,' being a new paragraph with --to--.

In column 27, line 61, Claim 6, after
'glass', delete "comprises" and insert
--comprises:--.

In column 28, line 2, Claim 6, after '4',
delete "millimeter," and insert --millimeters,--.

6,846,760 B2

MAILING ADDRESS OF SENDER:

PATENT NO.

NILS H. LJUNGMAN & ASSOCIATES
P.O. BOX 130
GREENSBURG, PA 15601-0130

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

MAR 17 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,846,760 B2

DATED : January 25, 2005

INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard
LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

In column 30, line 7, Claim 8, after
'cobalt', delete "(Go), and insert (Co),--.

In column 30, line 26, Claim 8, after
'expansion', delete " \propto 20/700" and insert
-- \propto 20/700--.

In column 31, line 37, Claim 10, after
'(CI);' begin a new paragraph with "(iii.)".

In column 35, line 14, Claim 14, after
'claim', delete "3," and insert --13,--.

In column 36, line 36, Claim 15, after
'being', delete "configure' and insert
-configured--.

6,846,760 B2

MAILING ADDRESS OF SENDER:

PATENT NO.

**NILS H. LJUNGMAN & ASSOCIATES
P.O. BOX 130
GREENSBURG, PA 15601-0130**

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

JAN 17 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

Page 4 of 4

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,846,760 B2

DATED : January 25, 2005

INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard
LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

In column 39, line 60, Claim 18, after 'one'
insert --of--.

In column 42, line 50, Claim 20, after
'glass', delete "configure" and insert
--configured--.

6,846,760 B2

MAILING ADDRESS OF SENDER:

PATENT NO.

NILS H. LJUNGMAN & ASSOCIATES
P.O. BOX 130
GREENSBURG, PA 15601-0130

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

17 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

Page 1 of 4

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,846,760 B2

DATED : January 25, 2005

INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 12, line 37, after 'percent,' delete "Z" and insert Σ .

In column 12, line 65, delete "ZnO+TiO₂<4.3." and insert --ZnO+TiO₂≤4.3.--.

In column 14, line 2, after 'Gerhard', delete "LAUTENSCHLÄGER," and insert --LAUTENSCHLÄGER,--.

In column 14, line 57, after 'Peter', delete "NAsS," and insert --NASS,--.

In column 18, line 61, after 'to', delete "Gunthner" and insert --Günthner--.

6,846,760 B2

MAILING ADDRESS OF SENDER:

PATENT NO.

NILS H. LJUNGMAN & ASSOCIATES
P.O. BOX 130
GREENSBURG, PA 15601-0130

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

MAR 17 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

Page 2 of 4

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,846,760 B2
 DATED : January 25, 2005
 INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 21, line 8, after 'TiO₂' delete "<" and insert --≤--.

In column 21, line 12, after 'TiO₂' delete "<" and insert --≤--.

In column 25, line 61, Claim 2, after 'oxide,' being a new paragraph with --to--.

In column 27, line 61, Claim 6, after 'glass', delete "comprises" and insert --comprises:--.

In column 28, line 2, Claim 6, after '4', delete "millimeter," and insert --millimeters,--.

6,846,760 B2

MAILING ADDRESS OF SENDER:

PATENT NO.

NILS H. LJUNGMAN & ASSOCIATES
 P.O. BOX 130
 GREENSBURG, PA 15601-0130

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

17 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,846,760 B2
 DATED : January 25, 2005
 INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 30, line 7, Claim 8, after 'cobalt', delete "(Go), and insert (Co),--.

In column 30, line 26, Claim 8, after 'expansion', delete " ∞ 20/700" and insert -- ∞ 20/700--.

In column 31, line 37, Claim 10, after '(CI);' begin a new paragraph with "(iii.)".

In column 35, line 14, Claim 14, after 'claim', delete "3," and insert --13,--.

In column 36, line 36, Claim 15, after 'being', delete "configure" and insert -configured--.

MAILING ADDRESS OF SENDER:

PATENT NO. 6,846,760 B2

NILS H. LJUNGMAN & ASSOCIATES
 P.O. BOX 130
 GREENSBURG, PA 15601-0130

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

MAR 17 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

Page 4 of 4

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,846,760 B2
DATED : January 25, 2005
INVENTOR(S) : Dr. Friedrich SIEBERS, Dr. Peter NASS, Dr. Gerhard
LAUTENSCHLÄGER, and Dr. Otmar BECKER

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

In column 39, line 60, Claim 18, after 'one'
insert --of--.

In column 42, line 50, Claim 20, after
'glass', delete "configure" and insert
--configured--.

6,846,760 B2

MAILING ADDRESS OF SENDER:

PATENT NO.

NILS H. LJUNGMAN & ASSOCIATES
P.O. BOX 130
GREENSBURG, PA 15601-0130

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

MAR 17 2005